

Message

From: Laura Jensen [ljensen@rouxinc.com]
Sent: 6/7/2018 12:07:32 PM
To: Cirian, Mike [Cirian.Mike@epa.gov]; John.Stroiazso@glencore.ca; Steve Wright - CFAC [swright@cfaluminum.com]; Roux IT [mritorto@rouxinc.com]; Andrew Baris [abaris@rouxinc.com]
CC: Berry, David [Berry.David@epa.gov]; Sanchez, Brian [sanchez.brian@epa.gov]; Lynn Woodbury [woodburyl@cdmsmith.com]; Erin Formanek [Formanekek@cdmsmith.com]; Coan, Sean [CoanSM@cdmsmith.com]; Dick Sloan [rsloan@mt.gov]; Gunnar Emilsson [EmilssonGR@cdmsmith.com]
Subject: RE: CFAC Background SAP - Responses to EPA Comments

Thank you, Mike. As suggested in the additional comments below, CFAC/Roux will include the response to Comment #2 in the revised Background Investigation SAP.

Laura

From: Cirian, Mike [mailto:Cirian.Mike@epa.gov]
Sent: Wednesday, June 06, 2018 7:58 PM
To: John.Stroiazso@glencore.ca; Steve Wright - CFAC <swright@cfaluminum.com>; Michael Ritorto <mritorto@rouxinc.com>; Andrew Baris <abaris@rouxinc.com>; Laura Jensen <ljensen@rouxinc.com>
Cc: Berry, David <Berry.David@epa.gov>; Sanchez, Brian <sanchez.brian@epa.gov>; Lynn Woodbury <woodburyl@cdmsmith.com>; Erin Formanek <Formanekek@cdmsmith.com>; Coan, Sean <CoanSM@cdmsmith.com>; Dick Sloan <rsloan@mt.gov>; Gunnar Emilsson <EmilssonGR@cdmsmith.com>
Subject: FW: CFAC Background SAP - Responses to EPA Comments
Importance: High

Hello John,

This email is a follow up to provide CFAC/Roux with a conditional approval to begin the high water event background surface water sampling events. (Follow up to the verbal I mentioned yesterday).

Please note our one concern that Lynn discusses below. Also wanted to forward the states position as well.

Thanks,
Mike

Mike Cirian, PE
Libby On-site Project Manager
US EPA
108 East 9th Street
Libby, MT 59923
(406) 293-6194 Office

From: Sloan, Richard <RSloan@mt.gov>
Sent: Wednesday, June 06, 2018 7:45 AM
To: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>; Cirian.Mike@epa.gov
Cc: Berry, David <Berry.David@epa.gov>; Sanchez, Brian <sanchez.brian@epa.gov>; Woodbury, Lynn <woodburyl@cdmsmith.com>; Coan, Sean <CoanSM@cdmsmith.com>; Balliew, Carolina <Carolina.Balliew@mt.gov>
Subject: RE: CFAC Background SAP - Responses to EPA Comments

Mike Cirian,

The DEQ has reviewed The CFAC/Roux responses to the agency comments on the Background Investigation SAP. There may be additional comments on the SAP from EPA, DEQ, and CDM Smith; the DEQ agrees with conditional approval of the SAP so that CFAC/Roux can proceed with the high water sampling.

Thank you.

Dick Sloan

From: Woodbury, Lynn

Sent: Tuesday, June 05, 2018 12:52 PM

To: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>

Cc: Coan, Sean <CoanSM@cdmsmith.com>

Subject: RE: CFAC Background SAP - Responses to EPA Comments

My two cents...

- 1) The response adequately addresses the comment.
- 2) The response provides the requisite detail to support the selection of an N of 10 samples based on a Form I Background Test. This information should be added to the SAP (the comment does not indicate they intend to add this to the SAP). However, there is no discussion of whether an N of 10 samples will be adequate to support a Form 2 Background Test, which is something I also recommended during the call. That being said, Roux could continue with the collection of 10 samples per area provided that they understand they do so at their own peril. It is possible subsequent power calculations may determine the sample size is not adequate to support decision-making (and EPA may require additional background data collection in the future to address this data limitation).
- 3) The response adequately addresses the comment.
- 4) The response adequately addresses the comment.
- 5) The response adequately addresses the comment.

My recommendation is that Mike approve the sampling for tomorrow with the above caveat. Sean – thoughts?
Lynn

+++++

Lynn Woodbury | CDM Smith | 555 17th Street, Suite 500 | Denver, CO 80202 | direct: 303.383.2382 | fax: 303.308.3003 |
woodburyL@cdmsmith.com

From: Laura Jensen <ljensen@rouxinc.com>

Sent: Tuesday, June 05, 2018 12:53 PM

To: Cirian, Mike <Cirian.Mike@epa.gov>

Cc: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>; Sanchez, Brian <sanchez.brian@epa.gov>; Berry, David <Berry.David@epa.gov>; Dick Sloan <rsloan@mt.gov>; John.Stroiazso@glencore.ca; Steve Wright - CFAC <swright@cfaluminum.com>; Skipper, Sherry <Skipper.Sherry@epa.gov>; Andrew Baris <abaris@rouxinc.com>; Michael Ritorto <mritorto@rouxinc.com>

Subject: CFAC Background SAP - Responses to EPA Comments

Mr. Cirian,

On behalf of CFAC, Roux is providing the attached responses to EPA comments on the Background Investigation SAP for the RI/FS. These responses were discussed during our conference call on June 1, 2018.

In accordance with the project schedule, we planned to start the surface water sampling scope tomorrow during the current high water season. Therefore, we are requesting conditional approval to proceed with the background surface water sampling scope. We understand that additional comments related to background scope are still being prepared.

Please feel free to contact me if you have any questions regarding this submittal.

Laura Jensen, P.G. – NY | Project Hydrogeologist

209 Shafter Street, Islandia, New York 11749

Main: (631) 232-2600 | Direct: (631) 630-2358

Email: ljensen@rouxinc.com | Website: www.rouxinc.com



California | Illinois | Massachusetts | New Jersey | New York | Texas



♻️ Please consider the environment before printing this email

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.